

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 1

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 2

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 3




FIG. 4




FIG. 5

FINGER-RECEIVING AREA FOR A LABIAL PAD

Ronald L. Edens et al.

K-C 17,725




FIG. 6

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 7

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 8

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 9

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 10

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 11




FIG. 12

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 13




FIG. 14




FIG. 15

FINGER-RECEIVING AREA FOR A LABIAL PAD
Ronald L. Edens et al.
K-C 17,725




FIG. 16




FIG. 17